

**INFORMATION DISCLOSURE CITATION**

Form PTO-1449 (Modified)

(Use several sheets if necessary)

ATTY. DOCKET NO.  
2300-1544SERIAL NO.  
09/433,360

APPLICANT


Khoja, et al.

FILING DATE

November 3, 1999

GROUP

1643

**U.S. PATENT DOCUMENTS**

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate

**FOREIGN PATENT DOCUMENTS**

	Document Number	Date of Publication	Country	Class	Subclass	Translation	
						Yes	No

**OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)**

✓	AA-1	Aiuti et al. (January 1997), "The Chemokine SDF-1 is a Chemoattractant for Human CD34 <sup>+</sup> Hematopoietic Progenitor Cells and Provides a New Mechanism to Explain the Mobilization of CD34 <sup>+</sup> Progenitors to Peripheral Blood," <i>J. Exp. Med.</i> , Vol. 185(1):111-120.
✓	AB-1	Allavena et al. (1994), "Induction of Natural Killer Cell Migration by Monocyte Chemotactic Protein-1, -2, and -3," <i>Eur. J. Immunol.</i> , Vol. 24:3233-3236.
✓	AC-1	Berger et al. (1999), "Chemokine Receptors as HIV-1 Coreceptors: roles in Viral Entry, Tropism, and Disease," <i>Annu. Rev. Immunol.</i> , Vol. 17:657-700.
✓	AD-1	Bleul et al. (August 1996), "The Lymphocyte Chemoattractant SDF-1 is a Ligand for LESTR/Fusin and Blocks HIV-1 Entry," <i>Nature</i> , Vol. 382:829-833.
✓	AE-1	Carr et al. (April 1994), "Monocyte Chemoattractant Protein 1 Acts as a T-Lymphocyte Chemoattractant," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91:3652-3656.
✓	AF-1	Castor et al. (February 1983), "Structural and Biological Characteristics of Connective Tissue Activating Peptide (CTAP-III), a Major Human Platelet-Derived Growth Factor," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 80:765-769.
✓	AG-1	Dahinden et al. (November 1989), "The Neutrophil-Activating Peptide NAF/NAP-1 Induces Histamine and Leukotriene Release by Interleukin 3-Primed Basophils," <i>J. Exp. Med.</i> , Vol. 170:1787-1793.
✓	AH-1	Liao et al. (November 1995), "Human Mig Chemokine: Biochemical and Functional Characterization," <i>J. Exp. Med.</i> , Vol. 182:1301-1314.
✓	AI-1	Graham et al. (March 1990), "Identification and Characterization of an Inhibitor of Haemopoietic Stem Cell Proliferation," <i>Nature</i> , Vol. 344:442-444.
✓	AJ-1	Hillier et al. (October 27, 1995) GenBank Accession No.: H67224
✓	AK-1	Hillier et al. (1996), "Generation and Analysis of 280,000 Human Expressed Sequence Tags," <i>Genome Research</i> , Vol. 6:807-828.
✓	AL-1	Larsen et al. (March 1989), "The Neutrophil-Activating Protein (NAP-1) is Also Chemotactic for T Lymphocytes," <i>Science</i> , Vol. 243:1464-1466.

8-20-02

# INFORMATION DISCLOSURE CITATION

Form PTO-1449 (Modified)

(Use several sheets if necessary)

ATTY. DO. NO.  
2300-1544SERIAL NO.  
09/433,360

APPLICANT


Khoja, et al.

FILING DATE

November 3, 1999

GROUP

1643



## OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

J	AM-1	Loetscher et al. (1996), "Activation of NK Cells by CC Chemokines: Chemotaxis, Ca <sup>2</sup> Mobilization and Enzyme Release," <i>J. of Immunol.</i> , Vol. 156:322-327.
J	AN-1	Luster et al. (July 1995), "The IP-10 Chemokine Binds to a Specific Cell Surface Heparan Sulfate Site Shared with Platelet Factor 4 and Inhibits Endothelial Cell Proliferation" <i>J. Exp. Med.</i> , Vol. 182:219-231.
J	AO-1	Maione et al. (January 1990), "Inhibition of Angiogenesis by Recombinant Human Platelet Factor-4 and Related Peptides," <i>Science</i> , Vol. 247:77-79.
J	AP-1	Oberlin et al. (August 1996), "The CXC Chemokine SDF-1 is the Ligand for LESTR/Fusin and Prevents Infection by T-Cell-Line-Adapted HIV-1," <i>Nature</i> , Vol. 382:833-835.
J	AQ-1	Pelchen-Matthews et al. (1999), "Chemokine Receptor Trafficking and Viral Replication," <i>Immunological Reviews</i> , Vol. 168:33-49.
J	AR-1	Schröder et al. (November 1987), "Purification and Partial Biochemical Characterization of a Human Monocyte-Derived, Neutrophil-Activating Peptide that Lacks Interleukin-1 Activity," <i>J. of Immunol.</i> , Vol. 139(10):3474-3483.
J	AS-1	Shyamala et al. (1998), "Interleukin-8 Receptors R1 and R2 Activate Mitogen-Activated Protein Kinases Induce c-fos, Independent of Ras and Raf-1 in Chinese Hamster Ovary Cells," <i>Biochemistry</i> , Vol. 37:15918-15924.
J	AT-1	Thompson et al. (1994), "CLUSTAL W: Improving the Sensitivity of Progressive Multiple Sequence Alignment Through Sequence Weighting, Position-Specific Gap Penalties and Weight Matrix Choice," <i>Nucleic Acids Research</i> , Vol. 22(22):4673-4680.
J	AU-1	Uguccioni et al. (Actions of the Chemotactic Cytokines MCP-1, MCP-2, MCP-3, RANTES, MIP-1 $\alpha$ and MIP-1 $\beta$ on Human Monocytes," <i>Eur. J. Immunol.</i> , Vol. 25:64-68.
J	AV-1	Valente et al. (1988), "Purification of a Monocyte Chemotactic Factor Secreted by Nonhuman Primate Vascular Cells in Culture," <i>Biochemistry</i> , Vol. 27:4162-4168.
J	AW-1	Walz et al. (December 1987), "Purification and Amino Acid Sequencing of NAF, A Novel Neutrophil-Activating Factor Produced by Monocytes," <i>Biochem. and Biophys. Res. Comm.</i> , Vol. 149:755-761.
J	AX-1	Wells et al. (1999), "Chemokine Receptors and their Role in Leukocyte Activation," <i>Immunology Letters</i> , Vol. 65:35-40.
J	AY-1	White et al. (1989), "Neutrophil Attractant/Activation Protein-1 (NAP-1) Causes Human Basophil Histamine Release," <i>Immunology Letters</i> , Vol. 22:151-154.
J	AZ-1	Yoshimura et al. (December 1987), "Purification of a Human Monocyte-Derived Neutrophil Chemtactic factor that has a Peptide Sequence Similarity to Other Hast Defense Cytokines," <i>Proc. Natl Acad. Sci. USA</i> , Vol. 84:9233-9237.

EXAMINER

DATE CONSIDERED

8-20-02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.